



CONVERTING MACHINERIES







KEY FEATURES

- + Shaft Less Unwinder and Rewinder with Hydraulic Up/Down Movement for Handling
- + Both Side Moment of Roll (Forward & Backward)
- + Accurate Auto Tension Control with Load Cell (Close Loop)
- + Both Side Touch Panel for Easy Operation from Unwind and Rewind
- + Easy Waste Management System
- + Defect and Defect Less Material Length Data Recording
- + Edge Trimming System (Cut in Air and Cut in Groove)

ADDITIONAL FEATURES

- + Web Inspection System
- + 100% Defect Detection System
- + Electric Heater Dryer



DIFFERENTIAL SHAFT WINDING TECHNOLOGY





MACHINE SPECIFICATION

+ Speed : 500 mpm

+ Working Width : 300 mm Min. & 1350 mm Max.

+ Maximum Web Width
+ Rewinder Diameter
+ Rewinder Core ID
+ Unwinder Core ID
+ Unwinder Diameter
+ Unwinder Diameter
+ Unwinder Weight
1000 mm
1000 Kgs

+ Speed : 500 mpm Maximum*

+ Trim Width : 50 mm Maximum Speed Depends on Material and Core Quality.*

GROUP OF COMPANIES









WORKING IN SINGLE COLOR WORLD



500 + MACHINES ARE UNDER OPERATION WORLD WIDE.



EXPORTED TO

Due to high product standards and unmatched slitting quality, we have added our customers' list with global packaging giants as well. We currently export to United States of America, Chile, Brazil, Poland, United Kingdom, Italy, United Arab Emirates, Tunisia, Kuwait, Egypt, Oman, South Africa, Kenya, Tanzania, Zambia, Malawi, Botswana, Nigeria, Russia, China and are still growing.

OUR PRESENCE

RUSSIA - MOSCOW + EUROPE - FINLAND + EUROPE - ITALY + U.K. - ENGLAND

U.A.E. - DUBAI + AFRICA - TUNISIA + U.S.A. - SOUTH CAROLINA

LATIN AMERICA - CHILE + SOUTH AFRICA - JOHANNESBURG



KODY EQUIPMENTS PVT. LTD.

Survey No. 584/1+2 - A & B, Nr. Akshar industrial Estate, Hathijan Circle, Vatva, Ahmedabad 382445, Gujarat, INDIA. Phone: +91 79 2584 0737, 6513 1345, 6523 1345 Mobile: +91 90999 40792, 90999 40793, 90990 71434 Email: export@kody.co.in / sales@kody.co.in / info@kody.co.in Website: www.kodyconverting.com